# Annual Index

## Volume 65
## 1988

## Subject


### A

α-OLEFIN SULFONATES, thermal degradation, mechanistic approach, 1007
1-ALKYL-2-ACYL-3-TRITYL-*SN*-GLYCEROLS, detritylation, 954
1-O-ALKYL GLYCERYL ETHERS, snythesis, 1299
$^{13}C$ NMR, identification, surfactants, in mixture, 669
2-OCTANOL, caustic oxidation, n-heptanoic acid, 1824
2-ALKYL-5-HYDROXYMETHYL-5-ETHYL-1,3-DIOXANES, surface properties, 1204
5-OLEFINIC, monoenoic, fatty acids, autoxidation rates, meadowfoam oils, 1470
dienoic, fatty acids, autoxidation rates, sea urchin lipids, 1470
dienoic, fatty acids, autoxidation rates, meadowfoam oils, 1470
7-STIGMASTEROL, *Parkia filicoideae* welw., seeds, 1441
ABUSED FATS, concentration, oxidized components, 783
AFLATOXIN, Arizona, cottonseed, lack of toxin formation, 127
AFLATOXIN SYNTHESIS, inhibitory effect, neem, leaf extracts, 1166
inhibition, *Azadirachta indica*, leaf extracts, 1166
ALCOHOL, preparation, surface active properties, 1830
ALKYL POLYOXYETHYLENE ETHER, solution properties, 405
AMINO ACID COMPOSITION, *Eucalyptus kirtoniana*, 1131
AMINOCARBOXYLATE CHELATING AGENTS, identification, quantitation, DTPA, 1350
identification, quantitation, HPLC, 1350
ANALYSIS, methyl esters, high accuracy and reliability, 262
ANIONIC SURFACTANT, solution properties, water hardness ions, 1340
ANTI-RUST ADDITIVES, epoxides, 1311
ANTIMICROBIAL PROPERTIES, boric acid esters, alcohols, 1479
ANTIOXIDANT ACTIVITY, mechanism, dilauryl thiodipropionate, 1159
*ASPERGILLUS FLAVUS*, fatty acids, esterification, 1188
*ASPERGILLUS PARASITICUS*, INHIBITION, 1166
aflatoxin synthesis, neem, 1166
*Azadirachta indica*, 1166
ATLANTIC FISH OILS, fatty acid composition, 136
AUTOXIDATION, methyl linolenate, odor compounds, 1313
AUTOXIDATION RATES, esters, 1156
linoleic acid, 1156
safflower oil, 1156
AUTOXIDATIVE DIMERIZATION, METHYL LINOLENATE, dihydroperoxides, 616
hydroperoxy epidioxides, 616
monohydroperoxides, 616
*AZADIRACHTA INDICA*, extracts, inhibitory effect, aflatoxin synthesis, 1166
AZELAIC ACID, synthesis, *Vernonia galamensis* oil, 1774

### B

BAR SOAP, quantitation, aminocarboxylate chelating agents, HPLC, 1350
BIOTA OIL, fatty acid composition, 597
*BIOTA ORIENTALIS* SEED OIL, fatty acid composition, 597
oxo/furanoid esters, 597
BLACKCURRANT, seed oil, fatty acid composition, 755
BLACKCURRANT SEED OIL, fatty acids, 755
fractionation, γ-linolenic, acid, 755
BLEACHING AGENTS, long-chain peroxy acid, chemistry, 1211
BORAGE, seed oil, fatty acid composition, 755
*BORAGO OFFICINALIS* L., γ-linolenic acid, in vivo, 979
lipid accumulation, in vivo, 979
BORIC ACID ESTERS, alcohols, antimicrobial properties, 1479
*BUTEA MONOSPERMA*, seeds, phospholipids, 1424
BUTTON SYNDROME, triglycerides, polymorphic transformation, controls, 1144

### C

CALCIUM SOAP SOLUTIONS, acoustic behavior, 826
*CANDIDA RUGOSA*, lipase, polyethylene glycol modification, 1812
CANOLA, carbohydrase hydrolysis, 357
carbohydrase hydrolysis, oil extraction, 357
oil, lecithin, recovery, 1151
oil expression, mechanics, 1169
oil extraction, 357
seeds, quality, 122
CANOLA OIL, sulfur compounds, removal, 392
sulfur-containing fatty acids, 959
CANOLA SEED, oil solubility, carbon dioxide extraction, 968
*CAPSICUM ANNUM*, chemical and nutritional evaluation, 1419
CARBOHYDRASE HYDROLYSIS, canola, oil extraction, 357
CARBONYL COMPOUNDS, oxidized, soybean oil, varieties, 1328
CARBOXYLIC ACIDS, *Parkia filicoideae* welw., seeds, 1441
CARICA PAPAYA, seeds, phospholipids, 1424
CARROT, seeds, phospholipids, 1424
CASSAVA ROOTS, lipid classes, 1808
*Manihot esculenta* crantz, 1808
*CASSIA GRANDIS*, cyclopropenoid F.A., composition, oils, 1423
*CASSIA SIAMEA* SEED OIL, cyclopropenoid fatty acids, 952
vernolic, acid, 952
CASTOR OIL, hydrogenation, low pressure, 1467
CATIONIC SURFACTANTS, surface activity, 1444
synthesis, properties, 1444
CAUSTIC OXIDATION, 2-octanol, n-heptanoic acid, 1824
CHARACTERISTICS, 1303
CHICKPEA, cultivars, lipid composition, 369
CHILI, seed oil, chemical and nutritional evaluation, 1419
CHLOROPHYLL, determination, rapeseed, 381
CHOLESTERYL ESTERS, transesterification, 780
CHROMATOGRAPHY, analysis, FA methyl esters, 262
COCOA BUTTER, polymorphic transformations, 1140
COD LIVER OILS, fatty acid composition, 136, 137
COLLAGEN, dipeptide, synthesis, properties, 975
N-lauroyl-l-arginine, synthesis, properties, 975
COLOR STABILITY, cottonseed oil, glandless, 1778
COMPOSITION, *Balanites aegyptiaca* seed oil, 994

COMPUTER MODELING, triglyceride, polymorphism, 1493
CORIANDER, seeds, phospholipids, 1424
*CORIANDRUM SATIVUM*, seeds, phospholipids, 1424
COTTONSEED, aflatoxin, lack of toxin formation, 127
  oil, yields, growth regulators, 948
  protein, yields, fertilization, 948
COTTONSEED MEAL, calibration, NIR reflectance spectrometer, 768
COTTONSEED OIL, frying, vegetable products containing chlorophyll, 267
  glandless, color stability, 1778
CUCURBITACEAE, SEEDS, triterpene alchols, compositions, 607
  triterpene alcohols, mature plants, 607
CUPHEA, SEED MATURITY, crude protein, content, 139
  fatty acid, content, 139
  seed oil, fatty acid, 139
CYCLOPROPANATION, triglycerides, ultrasound, 118
  unsaturated fatty acid methyl esters, 601
  unsaturated fatty esters, ultrasound, 118

## D

*DAUCUS CAROTA*, seeds, phospholipids, 1424
*DELONIX ELATA*, cyclopropenoid f.a., composition, oils, 1423
DETERGENCY, oily, particulate soil, synergism, polyester/cotton fabric, 1357
DETERGENT PROTEASES, dust pad analysis, synthetic substrate, 806
  finished products, synthetic substrate, 806
  raw material, synthetic substrate, 806
DETERGENTS, fluorescent, whitening agents, 679
  polycarboxylates, soda ash, 1353
  preparation, formaldehyde, 1838
DETERIORATED FRYING OIL, dietary effeects in rats, 1796
DETRITYLATION, neutral ether lipid, precursors, 954
DHA, preparation, supercritical fluid CO2, 109
DIESEL FUEL, methyl esters, used frying oil, emission tests, 1185
  soybean oil, 1781
  vegetable oil, emission tests, 1185
DIETARY PROTEIN EFFECTS, deteriorated frying oil, 1796
DILAURYL THIODIPROPIONATE, antioxidant activity, 1159
DIMERIZATION, safflower oil, fatty acids, 793
  super acid catalyzed, fatty acids, 793
DIMERIZED FATTY ACIDS, analysis, TLC/FID, 1488
DIOXOLANES, synthesis, 1299

## E

EDIBLE OILS, hydrogenation, of palladium, 349
EGG YOLK SOLIDS, lipid components, solvent extraction, 1136
  solvent extraction, 1136
EICOSAPENTAENOIC ACID, production, mortierella fungi, 1455
ELECTROLYSIS, methyl oleate, acetoxylation, 1180
ENZYMATIC PREPARATION, monoglycerides, microemulsion, 1544
EPA, preparation, supercritical fluid CO2, 109
EPOXIDES, UNSATURATED FATTY ACIDS, anti-rust additives, 1311
  water-based cutting fluids, 1311
ESTER, synthesis, immobilized, lipase, 927
ESTERIFICATION, fatty acids, *Aspergillus flavus*, 1188
*EUCALYPTUS KIRTONIANA*, seed proteins,characterization and composition, 1131
EUPHORBIA SUBSPECIES, E. niciciana, fruits, seeds, composition, Euphorbia evening primrose, seed oil, fatty acid composition, 755

## F

FAT, transesterification, immobilized, lipase, 922
FAT MODIFICATION, lipase, immobilized, 922
FATS, hydrolysis, immobilized, lipase, 917
FATS AND OILS, fatty acid composition, accuracy, 1413
  nitrogen content, determination, 1531
  unsaponifiable matter, quantitating, 246
FATTY ACID COMPOSITION, Atlantic fish oils, 136
  cod liver oils, 136, 137
  herring oils, 136, 137
  menhaden oil, 136, 137
  redfish oils, 136, 137
  *Trichosanthes bracteata*,347
  *Trichosanthes nervifolia*, 347
FATTY ACID METHYL ESTERS, theoretical relative responses, 1190
FATTY ACIDS, esterification, *Aspergillus flavus*, 1188
  fats and oils, isolation, 378
FATTY ALCOHOL COMPOSITION, rice bran oil wax, 243
FATTY AMIDES, high performance liquid chromatography, 1804
FOAM CONTROL AGENTS, silicone polymers, 1013
FRYING, gas frying, heated, 101
  vegetable products containing chlorophyll, cottonseed oil, 267
FTIR, quantitation, trans unsaturation, fatty acid, methyl esters, 1483

## G

γ-LINOLENIC, acid, blackcurrant seed oil, 755
γ-LINOLENIC ACID, 979
GAS CHROMATOGRAPHIC, capillary, *trans* unsaturation, methyl esters, 1483
GAS LIQUID CHROMATOGRAPHY, fats and oils, accuracy, 1413
  fatty acid composition, accuracy, 1413
GLANDLESS, COTTONSEED OIL, color stability, 1778
GLUCOSINOLATES, analysis, gas liquid chromatography, error, sources, 647
GOOSEBERRY, seed oil, fatty acid composition, 755

## H

HEATED FATS, analysis, 101
  frying fats, 101
  quantitative analytical methods, 101
HERRING OILS, fatty acid composition, 136, 137
HIGH PERFORMANCE LIQUID CHROMATOGRAPHY, fatty amides, 1804
HPLC, aminocarboxylate chelating agents, bar soap, 1350
HYDROGENATION, edible oils, of palladium, 349
  low pressure, castor oil, 1467
  rhodium, coordination complex, preparation, 373

## J

JANGLI BADAM, seeds, phospholipids, 1424
JOJOBA OIL, heavily brominated, derivatives, 1318
  highly unsaturated, derivatives, 1318
  sulphurization, 1502

## L

LAUNDRY, static control, 811
LECITHIN, canola, oil, 1151
  degumming, reagents, 1151
  soybean, oil, 1151
  sunflower, oil, 1151
LEGUMINOSAE, oils, cyclopropenoid fatty acids, 1423
*LIMNANTHES ALBA* BENTH, isolation, methyl 5c, 13c-docosadienoate, 1541

LINEAR ALKYLBENZENE SULFONATE, formulating characteristics, 398
physical properties, 1000
sulfone content, 1000
LINOLEIC ACID, autoxidation rates, 1156
LINOLEIC ACID ISOMERS, heat treated, sunflower oil, 362
LINOLENIC ACID, GEOMETRICAL ISOMERS, 1434
column chromatography, 1434
preparative HPLC, 1434
urea inclusion, 1434
LIPASE, active in hydrophobic media, 911
*Candida rugosa*, polyethylene glycol modification, 1812
hydrolysis, soybean oil, 252
selectivities, 900
LIPASE, IMMOBILIZED, fat modification, 922
fats, hydrolysis, 917
synthesis, ester, 927
LIPASE BINDING, surfaces, 891
LIPASES, castor bean, 898
elm, 898
erucic acid-free rapeseed, 898
free, immobilized, *Mucor miehei*, 905
mustard, 898
palm, 898
porcine pancreas, 898
rapeseed, 898
LIPID CHEMISTRY, ultrasound, 118
LIPID CLASSES, cassava roots, 1808
LIPID COMPONENTS, egg yolk solids, solvent extraction, 1136
LIPID-LIPID COMPLEXES, lipase binding, surfaces, 891
LIPIDS, thermal oxidation, monolayers, ethyl esters, 1307
LIPOXYGENASE-2, soybean, flavor improvement, 1428
LIQUID DETERGENTS, formulating characteristics, 398
LIVER MICROSOMAL ENZYMES IN RATS, deteriorated frying oil, 1796
LUTEIN, ADSORPTION, kinetics, on silicic acid, soybean oil miscella, 761
soybean oil, 763

## M

MAIZE, seed lipases, characteristics and biosynthesis, 897
*MANIHOT ESCULENTA* CRANTZ, cassava roots, 1808
MARINE OILS, total sulfur, determination, 1526
MASS SPECTROMETRY, seed oil analysis, 943
MEADOWFOAM, methyl 5C, 13c-docosadienoate, isolation, 1541
MEADOWFOAM OILS, autoxidation rates, 1470
MENHADEN OIL, fatty acid composition, 136, 137
MENHADEN OIL ETHYL ESTERS, supercritical fluid extraction, 109
METHYL LINOLENATE, autoxidation, odor compounds, 1313
METHYL LINOLENATE, AUTOXIDATIVE DIMERIZATION, 616
dihydroperoxides, 616
hydroperoxy epidioxides, 616
monohydroperoxides, 616
METHYL OLEATE, acetoxylation, 1180
electrolysis, 1180
METHYL VERNOLATE, mass spectrum, 943
METHYL 5C, 13C-DOCOSADIENOATE, isolation, *Limnanthes alba* Benth., 1541
isolation, meadowfoam, 1541
MOISTURE, nuclear magnetic resonance, determination, seeds, 106
MONO-5-ENOIC, fatty acids, autoxidation rates, sea urchin lipids, 1470
MONTMORILLONITE, 776
acid-activated, β-carotene, adsorption, 776
β-carotene, adsorption, 776
MORTIERELLA FUNGI, eicosapentaenoic acid, production, 1455
*MUCOR MIEHEI*, lipases, free, immobilized, 905

## N

N-HEPTANOIC ACID, caustic oxidation, 2-octanol, 1824
NEAR INFRARED REFLECTANCE, determination, chlorophyll, rapeseed, 381
NEEM, inhibitory effect, aflatoxin synthesis, *Aspergillus parasiticus*, 1166
NEUTRAL ETHER LIPID, synthesis, 954
NICKEL, RELAMATION, from spent nickel catalyst, 1816
NIR REFLECTANCE SPECTROMETER, calibration, cottonseed meal, 768
NITROGEN CONTENT, fats and oils, determination, 1531
NONIONIC DETERGENTS, from branched fatty diamides, wetting properties, 820
NONIONIC SURFACTANTS, polyoxyethylene oligomer distribution, TLC-FID, 996
NONIONIC SURFACTANT SOLUTIONS, foaming, 816
foaming, surfactant concentration, 816

## O

OCTADECENOATE ISOMERS, preparation, 373
ODOR COMPOUNDS, autoxidation, methyl linolenate, 1313
of HPLC, oxidized components, abused fats, 783
OIL, nuclear magnetic resonance, determination, seeds, 106
OIL PROCESSING, spent earth, regeneration, 1536
OILSEED, solvent extraction, modeling, 129
OILSEED PROCESSING, small screw press, 932
OLIVE, rape, natural antioxidants, 990
OLIVE OIL, Turkish sulphur, diesel fuel, 936
OLIVE OIL ADULTERATION, misbranding, United States, 788
OXIDATION, double bond, unsaturated fatty acids, 611
OXIDATION, OIL, PREVENTION, 629
dioxide, flushing, 629
nitrogen, flushing, 629
OXIDATIVE STABILITIES, soybean oil, varieties, 1334
OXYMERCURATION-JONES OXIDATION, β- and γ-hydroxyolefinic acids, 774

## P

PALASH, seeds, phospholipids, 1424
PALM OIL, olein, total tocopherols, 258
stearin, total tocopherols, 258
total tocopherols, color determination, 258
PAPAYA, seeds, phospholipids, 1424
*PARKIA FILICOIDEAE* WELW., SEEDS, 1441
β-sitosterol, 1441
carboxylic acids, 1441
7-stigmasterol, 1441
squalene, 1441
unsaponifiable matters, 1441
PEROXY ACIDS, chemistry, bleaching agents, 1211
PHASE TRANSITIONS, glyceride/paraffin oil mixtures, 1791
POLYCARBOXYLATES, detergents, 1353
POLYETHYLENEGLYCOLS, linoleic acid, proton NMR 1516
POLYMORPHIC TRANSFORMATION, cocoa butter, 1140
triglycerides, control, surfactants, 1144
POLYMORPHISM, computer modeling, theoretical triglyceride structures, 1493
effects of chain length, α-form packing on triglyceride, 638
triglyceride β′-forms, 638
tristearin, 964
POLYOXYETHYLENE OLIGOMER DISTRIBUTION, TLC-FID, nonionic, surfactants, 996
POLYUNSATURATED FATTY ACIDS enrichment, urea complexation, 136
response surface methodology, 652
PREPARATION, 1299
PROTON NMR DETERMINATION, linoleic acid, polyethyleneglycols, 1516
PUNICIC ACID, *Trichosanthes bracteata*, 347
*Trichosanthes nervifolia*, 347

PYRIMIDINIUM CATIONIC SURFACTANTS, synthesis, properties, 1444

## R

RAPESEED, chlorophyll, determination, near infrared reflectance, 381
RAPESEED OILS, fatty acids, effect of heat treatment, 1511
RED CURRANT, seed oil, fatty acid composition, 755
REDFISH OILS, fatty acid composition, 136, 137
REDUCTION, OF UNSATURATED FATTY ACID METHYL ESTERS, 939
RESPONSE SURFACE METHODOLOGY, polyunsaturated fatty acids, 652
  saponification of oils, 652
RICE BRAN OIL, β- and γ-hydroxyolefinicacids, oxymercuration-Jones oxidation, 774
  β-carotene, adsorption, acid-activated, montmorillonite, 776
  β-sitosterol, *Parkia filicoideae* Welw., seeds, 1441
  tank settling, wax, 241
  wax, 241
RICE BRAN OIL WAX, fatty alcohol composition, 243

## S

SAPONIFICATION OF OILS, response surface methodology, 652
SCREW PRESS, oil expression, canola, 1169
SEA URCHIN LIPIDS, autoxidation rates, 1470
SEED OIL ANALYSIS, mass spectrometric approach, 943
  rapid transesterification, 942
SEED LIPASES, characteristics and biosynthesis, 897
SEEDS, nuclear magnetic resonance, 106
  moisture, determination 106
  oil, determination, 106
SEEDS, QUALITY *Brassica campestris*, canola, 122
  dark, *Brassica campestris*, 122
  yellow, *Brassica campestris*, 122
SILICONE POLYMERS, foam control agents, 1013
SODIUM DODECYL SULFATE, solution properties, 405
SOLVENT EXTRACTION, densities, soybean oil/solvent mixtures, 1177
SOLVENT EXTRACTION OF OILSEED, modeling, 129
SOPHOROSE LIPIDS, bioconversion, 1460
  microbial production, 1460
  structure elucidation, 1460
  *Torulopsis bombicola*, 1460
SOYBEAN, flavor improvement, lipoxygenase-2, removal, 1428
  null lipoxygenase, oil, flavor, 147
  null lipoxygenase, oil, oxidative stability, 147
  oil, lecithin, recovery, 1151
  trypsin inhibitors, 1475
SOYBEAN BOWMAN-BIRK ISOINHIBITOR, subclassification, 1475
SOYBEAN OIL, addition of alkoxyl groups, 1508
  diesel fuel, 1781
  flavor evaluation, 386
  hydrolysis, lipase, 252
  lutein, adsorption, 763
  quality, 386
SOYBEAN OIL MISCELLA, adsorption, kinetics, on silicic acid, 761
  lutein, 761
SOYBEAN OIL STABILITY, altered fatty acid composition, 624
SOYBEAN OIL VARIETIES, high temperature, stability, 1324
  oxidative stabilities, 1334
  oxidized, carbonyl compounds, 1328
SOYBEANS, total oil, analysis, 255
SPENT EARTH, regeneration, 1536
SQUALENE, *Parkia filicoideae* welw., seeds, 1441
STABILITY, soybean oil, varieties, high temperature, 1324
STATIC CONTROL, laundry, instrumental method, 811
*STERCULIA FOETIDA*, seeds, phospholipids, 1424
STEROL BIOSYNTHESIS, inhibitors, 591
STRATUM CORNEUM LIPID, influence, 1834
  influence, calcium ion, 1834
*STRIGA ASIATICA*, SEEDS, LIPID COMPOSITION, germination, 634
  pre-germination, 634
STRUCTURE, oil solubilization, rate, 280
SUBERIC ACID, synthesis, azelaic acid, 1774
SUBSPECIES, *E. glaerosa*, fruits, seeds, composition, glycidyl ethers, sugar-corynomycolates, microbial transesterification, 1619
SULFUR-CONTAINING FATTY ACIDS, canola oil, 959
SUNFLOWER OIL, autoxidation rates, 1156
  lecithin, recovery, 1151
SUNFLOWER KERNELS, nonoil, roasted, sensory, chemical evaluation, 985
SUNFLOWER OIL, heat treated, linoleic acid isomers, 362
  turbidimetric measurement, wax, 367
SUNFLOWERSEED OIL, wax, crystallization, phospholipids, 1771
SUPERCRITICAL FLUID, preparation, docosahexaenoic acid, 109
  preparation, eicosapentaenoic acid, 109
  vegetable oils, stirred autoclave, data, 764
SUPERCRITICAL FLUID EXTRACTION, menhaden oil esters, 109
SURFACE ACTIVE PROPERTIES, alcohol, 1830
SURFACTANT, oil solubilization, 280
SURFACTANTS, binary mixtures, synergism, foaming, 663
  control, polymorphic transformation, triglycerides, 1144
  dissolution behavior, inorganic electrolytes, 272
  glycolipid, sucrose esters, 284
  highly loaded coal-water mixtures, 1194
  identification, in mixture, $^{13}C$ NMR, 669
  interaction, alumina-based thickening agents, 1017
  linear alkylbenzene sulfonate, 1000
  polymeric, synthesis, surface activity, 1346
  solution properties, 405
  synthesis, surface properties, oxyethylenated, dioxanes, 1204
  triglycerides, removal, 412
SURFACTANTS, NONIONIC, elemental analysis, degree of ethoxylation, 1202
  polyoxyethylene oligomer distribution, TLC-FID, 996
SYNERGISM, surfactants, binary mixtures, 663

## T

TANK SETTLING, rice bran oil, wax, 241
TEMPEH, antioxidative stability, 799
THERMAL OXIDATION, lipids, monolayers, ethyl esters, 1307
*TORULOPSIS BOMBICOLA*, sophorose lipids, 1460
TOTAL TOCOPHEROLS, PALM OIL, colorimetric determination, 258
  olein, 258
  stearin, 258
*TRANS* UNSATURATION, fatty acid, methyl esters, quantitation, FTIR, 1483
  quantitation, capillary gas chromatographic, 1483
TRANSESTERIFICATION, cholesteryl esters, 780
  fat, immobilized, lipase, 922
TRIACYLGLYCEROLS, erucic acid-free rapeseed, lipases, 898
  methanolysis, 262
TRIACLYGLYCEROLS, HYDROLYSIS, castor bean, lipases, 898
  elm, lipases, 898
  mustard, lipases, 898
  palm, lipases, 898
  porcine pancreas, lipases, 898
  rapeseed, lipases, 898
TRIGLYCERIDE, POLYMORPHISM, β′-forms, conformation, 638
  computer modeling, 1493
TRIGLYCERIDES, surfactants, removal, 412
  ultrasonic velocity measurements, 1787

TRIGLYCERIDES, POLYMORPHIC TRANSFORMATION, button syndrome, 1144
control, surfactants, 1144
TRISTEARIN, POLYMORPHIC TRANSFORMATION, NMR relaxation, 964
TRITERPENE ALCOHOLS, composition, cucurbitaceae, mature plants, 607
TURKISH SULPHUR, olive oil, diesel fuel, 936

## U

ULTRASONIC VELOCITY MEASUREMENTS, glyceride/paraffin oil mixtures, 1791
triglycerides, 1787
vegetable oils, 1787
ULTRASOUND, lipid chemistry, 118
UNSAPONIFIABLE MATTER, fats and oils, 246
UNSAPONIFIABLE MATTERS, *Parkia filicoideae* Welw., seeds, 1441
UNSATURATED FATTY ACIDS, double bond, oxidation, 611
epoxides, 1311
USED FRYING OIL, diesel fuel, emission tests, 1185

## V

VEGETABLE, total sulfur, determination, 1526
VEGETABLE OIL, diesel fuel, used frying oil, 1185
ultrasonic velocity measurements, 1787
VEGETABLE OILS, supercritical fluid-liquid solubility parameters, data, 764
*VERNONIA GALAMENSIS* OIL, azelaic acid, suberic acid, synthesis, 1774

## W

WAX, sunflower oil, turbidimetric measurement, 367
WHITENING, agents, detergents, 679
WITCHWEED, SEEDS, lipid composition, during germination, 634
lipid composition, during pre-germination, 634

# Author


## A

ABE, M. See Ogino, K.
ABRAHAM, V., and J.M. deMan, Removal of sulfur compounds from canola oil, 392
See Wijesundera, R.C.
ABRAHAM, G., R. J. Hron Sr. and S.P. Koltun, Modeling the solvent extraction of oilseeds, 129
ABRASHKIN, S. See Azoury, R.
ABU-HADEED, A.M., and A.R. Kotb, A method for the quantitative determination of individual oils in a blend, 1922
ACKMAN, R.G., W.M.N. Ratnayake and B. Olsson, The 'basic' fatty acid composition of Atlantic fish oils: potential similarities useful for enrichment of polyunsaturated fatty acids by urea complexation, 136
ACKMAN, R.G. See Wijesundera, R.C.
ADLOF, R.O., Isolation of methyl 5c, 13c-docosadienoate from *Limnanthes alba* Benth. (Meadowfoam) seed oil methyl esters by silver resin chromatography, 1541
AFOLABI, O.A. See Ayorinde, F.O.
AGUDO, M. See Lalaguna, F.
AHMAD, F. See Ahmed, S.M.
AHMED, S.M., F. Ahmad, S.F. Siddiqui and S.M. Osman, Oxymercuration-Jones oxidation of $\beta$- and $\gamma$-hydroxyolefinic acids, 774
AKIHISA, T., Y. Inada, P. Ghosh, S. Thakur, F.U. Rosenstein, T. Tamura and T. Matsumoto, Composition of triterpene alcohols of seeds and mature plants of family cucurbitaceae, 607
AKIMOTO, K. See Shimizu, S.
AKSOY, H.A., I. Kahraman, F. Karaosmanoglu and H. Civelekoglu, Evaluation of Turkish sulphur olive oil as an alternative diesel fuel, 936
N. Yavasoglu, F. Karaosmanoglu and H. Civelekoglu, Fruit oil composition and characteristics of two spurge species of Turkish origin, 1303
ALI, R., and M.N. Khan, Modified butyrometric method for rapid determination of fat in seeds, 1951
AMORE, F. See Fritz, D.W.
ANAZAWA, I. See Sato, T.
ANON, M.C. See Rivarola, G.
APPELQVIST, L-A. SEe Nourooz-Zadeh, J.
ARONHIME, J.S. See Azoury, R.
ARTAUD, J. See Lamothe, F.
ARUL, J., A. Boudreau, J. Makhlout, R. Tardif and T. Bellavia, Fractionation of anhydrous milk fat by short-path distillation, 1642
ASMER, H-J., S. Lang, F. Wagner and V. Wray, Microbial production, structure elucidation and bioconversion of sophorose lipids, 1460
AYORINDE, F.O., J. Clifton Jr., O.A. Afolabi and R.L. Shepard, Rapid transesterification and mass spectrometric approach to seed oil analysis, 942
G. Osman, R.L. Shepard and F.T. Powers, Synthesis of azelaic acid and suberic acid from *Vernonia galamensis* oil, 1774
AZOURY, R., J.S. Aronhime, S. Sarig, S. Abrashkin, I. Mayer and N. Garti, NMR relaxation studies to explore the role of emulsifier in tristearin polymorphic transformation, 964

## B

BACKSTROM, K., and S. Engstrom, Removal of triglycerides from hard surfaces by surfactants: an ellipsometry study, 412
BAGBY, M.O. See Dejarlais, W.J.
See Madrigal, R.V.
BAILLARGEON, M.W., and P.E. Sonnet, Polyethylene glycol modification of *Candida rugosa* lipase, 1812
BANASZCZYK, A. See Burczyk, B.
BANERJI, R., A.R. Chowdhury, G. Misra and S.K. Nigam, Chemical composition of Acacia seeds, 1959
BANNON, C.D. See Craske, J.D.
BARCLAY, D.A. See Smith, D.L.
BARTON, F.E. II, and G.C. Cavanagh, The calibration of NIR reflectance spectrometer for the determination of diverse compositional parameters, 768
BASAK, B. See Laskar, S.
BELAVADI, V.K., and D.N. Bhowmick, An investigation of rice bran oil tank settling, 241
BELLAVIA, T. See Arul, J.
BERNA, J.L. See Moreno, A.
BHATIA, V.K., A. Chaudhry, A. Masohan, R.P.S. Bisht and G.A. Sivasankaran, Sulphurization of jojoba oil to application as extreme pressure additive, 1502
BHATNAGAR, D., and S.P. McCormick, The inhibitory effect of neem *(Azadirachta indica)* leaf extracts on aflatoxin synthesis in *Aspergillus parasiticus,* 1166
BHOWMICK, D.N. See Belavadi, V.K.
BISHT, R.P.S. See Bhatia, V.K.
BISTON, R., P. Dardenne, M. Cwikowski, M. Marlier, M. Severin and J-P. Wathelet, Fast analysis of rapeseed glucosinolates by near infrared reflectance spectroscopy, 1599
BLINC, R. See Schreiner, L.J.
BOLSMAN, T.A.B.M., F.T.G. Veltmaat and N.M. van Os, The effect of surfactant structure on the rate of oil solubilization into aqueous surfactant solutions, 280
R. Kok and A.D. Vreugdenhil, Chemistry of long-chain peroxy acids under laundry conditions, 1211
BOSCH, M.P. See Mercade, E.
BOUDREAU, A. See Arul, J.
BRAVO, J. See Moreno, A.
BREENE, W.M., S. Lin, L. Hardman and J. Orf, Protein and oil content of soybeans from different geographic locations, 1927
BROWN, H.G. See Snyder, H.E.
See Warren, M.W.
BU'LOCK, J.D. See Donnelly, M.J.
BULLEY, N.R. See Fattori, M.
BUOSI, F. See Carminati, G.
BURCZYK, B., M. Banaszczyk, A. Sokolowski and A. Piasecki, Synthesis and surface properties of oxyethylenated 2-alkyl-5-hydroxymethyl-5-ethyl-1,3-dioxanes, 1204

## C

CALVELO, A. See Rivarola, G.
CARMINATI, G., L. Cavalli and F. Buosi, Application of $^{13}C$ NMR to the identification of surfactants in mixture, 669
CARSON, K.L. See Firestone, D.
CASTALDI, F.J. See Naylor, C.G.
CAVALLI, L. See Carminati, G.
CAVANAGH, G.C. See Barton, F.E. II
CHAMKASEM, N., Gossypol analysis in cottonseed oil by HPLC, 1601
and L.A. Johnson, Color stability of glandless cottonseed oil, 1778
CHAN, K.Y., and P.E. Kavanagh, The application of linear programming and regression analysis to light duty liquid detergent formulation, 1971
CHANG, J-H., M. Ohno, J. Esumi and K. Megura, Interaction of iodine with nonionic surfactant and polyethylene glycol in aqueous potassium iodide solution, 1664
CHAUDHARI, D.D. See Rajadhyaksha, R.A.
CHAUDHRY, A. See Bhatia, V.K.
CHEN, K.M., and C.C. Tsai, Synthesis and surface activity of maleic anhydride-polyethylene glycol-phthalic anhydride polymeric surfactants, 1346
CHEUNG, N.-S. See Huang, C.-J.
CHIN, C.N. See Saleh, M.I.
CHOWDHURY, A.R. See Banerji, R.
CIVELEKOGLU, H. See Aksoy, H.A.
CLARK, P. See Snyder, H.E.
CLIFTON, J. Jr. See Ayorinde, F.O.
CONEJO, A.F.G., C.G. Montes, V.F. Luque and C.G. Herrera, Specific viscosity of Newtonian aqueous solutions containing an anionic surfactant and an alkaline pyrophosphate, 1964
COXWORTH, E. See Sosulski, K.
CRASKE, J.D., C.D. Bannon and L.M. Norman, Limitations of ambient temperature methods for the methanolysis of triacylglycerols in the analysis of fatty acid methyl esters with high accuracy and reliability, 262
CWIKOWSKI, M. See Biston, R.

## D

DARDENNE, P. See Biston, R.
DAULATABAD, C.D., K.M. Hosamani and A.M. Mirajkar, *Cassia siamea* seed oil: a minor source of vernolic and cyclopropenoid fatty acids, 952
DAUN, J.K. See Tkachuk, R.
and D.R. DeClercq, Quality of yellow and dark seeds in *Brassica campestris* canola varieties candle and tobin, 122
DAVIS, D.R. See Warren, M.W.
DE ALMELDA, M.M. See Park, Y.K.
DECLERCQ, D.R. See Daun, J.K.
DEJARLAIS, W.J., S. Koritala, E. Selke and M.O. Bagby, Electrolytic acetoxylation of methyl oleate, 1180
DEMAN, J.M. See Abraham, V.
See Wijesundera, R.C.
See Panford, J.A.
DIEZ, R., and A. Morra, Determination of the degree of ethoxylation of nonionic surfactants by elemental analysis, 1202
DIOSADY, L.L. See Hsu, N.
DOBARGANES, M.C., and M.C. Perez-Camino, Systematic evaluation of heated fats based on quantitative analytical methods, 101
DONNELLY, M.J., and J.D. Bu'Lock, Sucrose esters as model compounds for synthetic glycolipid surfactants, 284
DROZD, J.C., and W. Gorman, Formulating characteristics of high and low 2-phenyl linear alkylbenzene sulfonates in liquid detergents, 398
DYKSTRA, G.J. See Schwab, A.W.

## E

EISSLER, R.L., and J.P. Friedrich, Estimation of supercritical fluid-liquid solubility parameter differences for vegetable oils and other liquids from data taken with a stirred autoclave, 764
EL-FARRA, A. See Sawan, Z.M.
EL-LATIF, S.A. See Sawan, Z.M.
EL-NOCKRASHY, A.S. See Taha, F.S.
EMKEN, E.A., Selective hydrogenation with tris(triphenylphosphine) chlororhodium (I) catalyst: preparation of octadecenoate isomers, 373
See Lanser, A.C.
ENGSTROM, S. See Backstrom, K.
ERRA, P. See Molinero, J.
ESKIN, N.A.M. See Przybylski, R.
ESPUNY, M.J. See Mercade, E.
ESUMI, J. See Chang, J-H.

## F

FARHAN, F.M., Variation of trace metal content of edible oils and fats during refining process, 1961
FARINA, T.E. See Lawson, N.E.
FATTORI, M., N.R. Bulley and A. Meisen, Carbon dioxide extraction of canola seed: oil solubility and effect of seed treatment, 968
FEHR, W.R. See Mounts, T.L.
FIRESTONE, D., K.L. Carson and R.J. Reina, Update on control of olive oil adulteration and misbranding in the United States, 788
FISHER, C.H., Evaluating and predicting n-fatty acid properties, 1647
FITES, R.C. See Menetrez, M.L.
FOGLIA, T.A. See Iwama, T.
FRANKEL, E.N., K. Warner and B.P. Klein, Flavor and oxidative stability of oil processed from null lipoxygenase-1 soybeans, 147
See Warner, K.
See Neff, W.E.
See Snyder, J.M.
FRIBERG, S.E., L. Goldsmith and G. Rong, The influence of calcium ions and 2-(alkoxyl)1-[(alkoyloxy)methyl]-ethyl-7-(4-heptyl-5,6)-dicarboxy-2-cyclohexene-1-yl) heptanoate on a simplified model of the Stratum Corneum lipids, 1834
FRIEDRICH, J.P. See Eissler, R.L.
FRITZ, D.W., F. Amore and K. Rashmawi, Analysis of dimerized fatty acids by TLC/FID, 1488
FUJIMOTO, K. See Neff, W.E.
FUJITA, T. See Watanabe, S.

## G

GADAN, H.M. See Sosulski, F.W.
GADJEVA, D.G. See Schwartz, D.P.
GANGADHAR, A., R. Subbarao and G. Lakshminarayana, Cyclopropanation of unsaturated fatty acid methyl esters using diazomethane and palladium (II) acetate, 601
GARRISON, P.H. See Rothgeb, T.M.
GARTI, N. See Azoury, R.
See Zaidman, B.
See Schlichter Aronhime, J.
GAUGLITZ, E.J. Jr. See Nilsson, W.B.
GHOSH, P. See Akihisa, T.
GOBBERT, U., A. Schmeichel, S. Lang and F. Wagner, Microbial transesterification of sugar-corynomycolates, 1519
GOH, E.M. See Wong, M.L.
GOLDSMITH, L. See Friberg, S.E.
GOLDSTEIN, M.M., and W.P. Lok, Identification and quantification of DTPA and other aminocarboxylate chelating agents in bar soaps by HPLC, 1350
GOODLANDER, B.D. See Rothgeb, T.M.
GOODRUM, J.W. See Sivakumaran, K.
GOPALAKRISHNA, A.G. See Mishra, A.
GORMAN, W. See Drozd, J.C.
GRANDGIRARD, A. See Sebedio, J.L.
GROSCH, W. See Ullrich, F.

## H

HAGEMANN, J.W., and J.A. Rothfus, Effects of chain length, conformation and $\alpha$-form packing arrangement on theoretical monoacid triglyceride $\beta$-forms, 638
and J.A. Rothfus, Computer modeling of $\alpha$- to $\beta'$-form phase transitions using theoretical triglyceride structures, 1493
HAMM, W. See Rice, P.
HAMMOND, E.G. See Mounts, T.L.
HARA, S., and Y. Totani, A highly sensitive method for the microdetermination of lipid hydroperoxides by potentiometry, 1945
HARDMAN, L. See Breene, W.M.
HASE, A., M.L. Johansson and T.R. Viljava, Sources of error in the analysis of glucosinolates by gas liquid chromatography, 647
HAU, L-B., and W.W. Nawar, Thermal oxidation of lipids in monolayers II. Unsaturated fatty acid esters, 1307
HAYES, B.J. See Naylor, C.G.
HELMY, H.E. See Taha, F.S.
HERRERA, C.G. See Conejo, A.F.G.
HERRINGTON, T.M., and S.S. Sahi, Phase behavior of some sucrose surfactants with water and n-decane, 1677
HIRUTA, O., T. Nakahara, T. Yokochi, Y. Kamisaka and O. Suzuki, Production of 9-hydroperoxy-$\gamma$-linolenic acid by soybean lipoxygenase in a two-phase system, 1911
HOLMBERG, K., and E. Osterberg, Enzymatic preparation of monoglycerides in microemulsion, 1544
HONJO, S. See Naka, A.
HOSAMANI, K.M. See Daulatabad, C.D.
HRON, R.J. Sr. See Abraham, G.
HSU, N., L.L. Diosady and L.J. Rubin, Catalytic behavior of palladium in the hydrogenation of edible oils, 349
HU, P.C., and M.E. Tuvell, A mechanistic approach to the thermal degradation of $\alpha$-olefin sulfonates, 1007
and M.E. Tuvell, Effects of water hardness ions on the solution properties of an anionic surfactant, 1340
HUANG, C-J., N-S. Cheung and V-R. Lu, Effects of deteriorated frying oil and dietary protein levels on liver microsomal enzymes in rats, 1796
HUDSON, A.P., F.E. Woodward and G.T. McGrew, Polycarboxylates in soda ash detergents, 1353
HUDSON, J.K. See Nilsson, W.B.

## I

IATRIDES, M.C. See Lamothe, F.
INADA, Y. See Akihisa, T.
INAMOTO, Y. See Urata, K.
INFANTE, M.R. See Molinero, J.
IWAMA, T., and T.A. Foglia, An improved procedure for the detritylation of 1-alkyl 2-acyl 3-trityl-sn-glycerols, 954

## J

JANICK, J. See Whipkey, A.
JASPERSE, J.L., The determination of fatty amides by high performance liquid chromatography, 1804
JERZYKIEWICZ, W., *cis-trans* Isomerization in the synthesis of fatty acid nitriles, 1932
JOHANSSON, M.L. See Hase, A.
JOHNSON, L.A. See Chamkasem, N.
JOSHI, G.W. See Rajadhyaksha, R.A.
See Kalam, A.
JOSHI, J.B. See Kalam, A.
JULIA, M.R. See Molinero, J.
JUNG, M.Y. See Yoon, S.H.

## K

KAHRAMAN, I. See Aksov, H.A.
KAKIHARA, T. See Ogino, K.
KAKUDA, Y. See Smiles, A.
KALAM, A., and J.B. Joshi, Regeneration of spent earth by wet oxidation, 1536
and J.B. Joshi, Regeneration of spent earth in aqueous medium, 1917
KAMISAKA, Y. See Hiruta, O.
KANAO, H. See Yanaba, S.
KANENIWA, M., K. Miyashita and T. Takagi, Autoxidation rates of 5-olefinic monoenoic and dienoic fatty acids from sea urchin lipids and meadowfoam oils, 1470
KARAHADIAN, C., and R.C. Lindsay, Evaluation of the mechanism of dilauryl thiodipropionate antioxidant activity, 1159
KARAOSMANOGLU, F. See Aksoy, H.A.
KASPEREK, M. See Leszkiewicz, B.
KATO, K. See Ogino, K.
KAVANAGH, P.E. See Chan, K.Y.
KAWAMATA, A. See Urata, K.
KAWASHIMA, H. See Shimizu, S.
KERR, A.F. See Robards, K.
KHAN, M.N. See Ali, R.
KISILEV, A. See Zaidman, B.
KITTUR, M.H. See Lakshminarayana, G.
KLEIMAN, R. See Thompson, A.E.
See Mounts, T.L.
KLEIN, B.P. See Frankel, E.N.
KOBAYASHI, M. See Suzuki, M.
KOK, R. See Bolsman, T.A.B.M.
KOLTUN, S.P. See Abraham, G.
KORITALA, S., Esterification of fatty acids by *Aspergillus flavus*, 1188
See Dejarlais, W.J.
KORTH, J. See Robards, K.
KOTB, A.R. See Abu-Hadeed, A.M.

## L

LAKSHMINARAYANA, G., K. Sundar Rao, M.H. Kuttur and C.S. Mahajanshetty, Occurrence of punicic acid in *Trichosanthes bracteata* and *Trichosanthes nervifolia* seed oils, 347
See Gangadhar, A.
See Vijayalakshmi, P.
LALAGUNA, F., and M. Agudo, Lipid classes of fresh cassava roots (*Manihot esculenta* Crantz): identification and quantification, 1808
LAM, W.L.K. See Lie Ken Jie, M.S.F.
LAMOTHE, F., D. Peyronel, M. Sergent, M.C. Iatrides, J. Artaud and R. Phan-Tan-Luu, Saponification of oils rich in polyunsaturated fatty acids: optimization of conditions by response surface methodology, 652
LANG, S. See Asmer, H.-J.
See Gobbert, U.
LANSER, A.C., and E.A. Emken, Comparison of FTIR and capillary gas chromatographic methods for quantitation of *trans* unsaturation in fatty acid methyl esters, 1483
LAO, H.B. See Lie Ken Jie, M.S.F.
LARKINS, D.R., and C.C. Hobbs, Preparation of detergents from formaldehyde, 1838
LASKAR, S., S. Thakur and B. Basak, Isolation, amino acid composition and molecular weight distribution of *Eucalyptus kirtoniana* seed proteins, 1131
LAWSON, N.E., and T.E. Farina, n-Heptanoic acid by the caustic oxidation of 2-octanol, 1824
LEE, L.S., Aflatoxin in Arizona cottonseed: lack of toxin formation following *Aspergillus flavus* inoculation at sutures, 127
LESZKIEWICZ, B., and M. Kasperek, The effect of heat treatment on fatty acids of rapeseed oils, 1511
LIE KEN JIE, M.S.F., and W.L.K. Lam, Ultrasound in lipid chemistry. Cyclopropanation of unsaturated fatty esters and triglycerides, 118
H.B. Lao and Y.F. Zheng, Lipids in Chinese medicine. Characterization of all *cis* 5, 11, 14, 17-eicosatetraenoic acid in *Biota orientalis* seed oil and a study of oxo/furanoid esters derived from biota oil, 597
LIM, N.B.H., and K.H. Tiong, Control of crude oil dilution in palm oil mills, 1953
LIN, S. See Breene, W.M.
LINDSAY, R.C. See Karahadian, C.
LINFIELD, W.M. See Micich, T.J.
LIST, G.R. See Mounts, T.L.
LOK, W.P. See Goldstein, M.M.
LOPES, O.C. See Schuchardt, U.
LU, V.-R. See Huang, C.-J.
LUQUE, V.F. See Conejo, A.F.G.
LYON, B.G. See Robertson, J.A.

## M

MACDONALD, B.E. See Smiles, A.
MACRI, L.J. See Tkachuk, R.
MADRIGAL, R.V., M.O. Bagby and E.H. Pryde, The acid-catalyzed addition of alkoxyl groups to the olefinic double bonds of soybean oil, 1508
MAERKER, G. See Zubillaga, M.P.
MAHAJANSHETTY, C.S. See Lakshminarayana, G.
MAHESHWARI, P.N. See Shukla, A.
MAKHLOUT, J. See Arul, J.
MANRESA, M.A. See Mercade, E.
MARKS, C., Determination of free tocopherols in deodorizer distillate by capillary gas chromatography, 1936
MARLIER, M. See Biston, R.
MASOHAN, A. See Bhatia, V.K.
MASUYAMA, A., T. Okano and M. Okahara, Preparation and surface active properties of alcohol ethoxylates with an amide oxime terminal group, 1830
MATSUMOTO, T. See Akihisa, T.
MAYER, I. See Azoury, R.
MCCLEMENTS, D.J., and M.J.W. Povey, Ultrasonic velocity measurements in some liquid triglycerides and vegetable oils, 1787
Investigations of phase transitions in glyceride/paraffin oil mixtures using ultrasonic velocity measurements, 1791
MCCORMICK, S.P. See Bhatnagar, D.
MCGREW, G.T. See Hudson, A.P.
MEGURO, K. See Chang, J-H.
MEHROTRA, K.N., and S.K. Upadhyaya, Acoustic behavior of calcium soap solutions, 826
MEISEN, A. See Fattori, M.
MELLISH, V.J. See Tkachuk, R.
MENETREZ, M.L., R.C. Fites and R.F. Wilson, Lipid changes during pre-germination and germination of *Striga asiatica* seeds, 634
MERCADE, E., M. Robert, M.J. Espuny, M.P. Bosch, M.A.

Manresa, J.L. Parra and J. Guinea, New surfactant isolated from *Pseudomonas* 42A2, 1915
MICICH, T.J., and W.M. Linfield, Wetting properties of nonionics from branched fatty diamides, 820
MILLER, J.F. See Robertson, J.A.
MILLER, L.A., and P.J. White, High-temperature stabilities of low-linolenate, high-stearate and common soybean oils, 1324
and P.J. White, Quantification of carbonyl compounds in oxidized low-linolenate, high-stearate and common soybean oils, 1328
See White, P.J.
MIN, D.B. See Yoon, S.H.
MIRAJKAR, A.M. See Daulatabad, C.D.
MISHRA, A., A.G. Gopalakrishna and J.V. Prabhakar, Factors affecting refining losses in rice (*Oryza sativa* L.) bran oil, 1605
MISRA, G. See Banerji, R.
MITTELBACH, M., and P. Tritthart, Diesel fuel derived from vegetable oils, III. Emission tests using methyl esters of used frying oil, 1185
MIYASHITA, K., and T. Takagi, Autoxidation rates of various esters of safflower oil and linoleic acid, 1156
See Kaneniwa, M.
MOLINERO, J., M.R. Julia, P. Erra, M. Robert and M.R. Infante, Synthesis and properties of N$^{\alpha}$-lauroyl-L-arginine dipeptides from collagen, 975
MONTES, C.G. See Conejo, A.F.G.
MORENO, A., J. Bravo and J.L. Berna, Influence of unsulfonated material and its sulfone content on the physical properties of linear alkylbenzene sulfonates, 1000
MORRA, A. See Diez, R.
MORRISON, W.H. III. See Robertson, J.A.
MOULTON, K.J. Sr., Turbidimetric measurement of wax in sunflower oil, 367
See Warner, K.
MOUNTS, T.L., K. Warner, G.R. List, R. Kleiman, W.R. Fehr, E.G. Hammond and J.R. Wilcox, Effect of altered fatty acid composition on soybean oil stability, 624
MURAKAMI, O. See Naka, A.
MURATA, K., Antioxidative stability of tempeh, 799
MURRAY, R.S. See Saleh, M.I.

## N

NAKA, A., S. Honjo, H. Sugiyama, Y. Nishida and O. Murakami, Ability of surfactants to form highly loaded coal-water mixtures, 1194
NAKAHARA, T. See Hiruta, O.
NAWAR, W.W. See Hau, L-B.
NAYLOR, C.G., F.J. Castaldi and B.J. Hayes, Biodegradation of nonionic surfactants containing propylene oxide, 1669
NEEMAN, I. See Sheabar, F.Z.
NEFF, W.E., E.N. Frankel and K. Fujimoto, Autoxidative dimerization of methyl linolenate and its monohydroperoxides, hydroperoxy epidioxides and dihydroperoxides, 616
NIGAM, S.K. See Banerji, R.
NILSSON, W.B., E.J. Gauglitz Jr., J.K. Hudson, V.F. Stout and J. Spinelli, Fractionation of menhaden oil ethyl esters using supercritical fluid $CO_2$, 109
NISHIDA, Y. See Naka, A.
NORMAN, L.M. See Craske, J.D.
NOUROOZ-ZADEH, J., and L-A. Appelqvist, Cholesterol oxides in Swedish foods and food ingredients: butter and cheese, 1635

## O

OBENDORF, S.K. See Webb, J.J.
OGINO, K., K. Kato and M. Abe, Effect of inorganic electrolytes on dissolution behavior of mixed anionic-amphoteric surfactant systems, 272
T. Kakihara, H. Uchlyama and M. Abe, Solution properties of mixed surfactant system. Sodium dodecyl sulfate and alkyl polyoxyethylene ether system, 405
OHNO, M. See Chang, J-H.
OKAHARA, M. See Masuyama, A.
OKANO, T. See Masuyama, A.
OKUMURA, O. See Yanaba, S.
OLSSON, B. See Ackman, R.G.
ORF, J. See Breene, W.M.
OSMAN, S.M. See Ahmed, S.M.
OSTERBERG, E. See Holmberg, K.

## P

PANAYOTOVA, S. See Stefanova, R.
PANFORD, J.A., P.C. Williams and J.M. deMan, Analysis of oilseeds for protein, oil, fiber and moisture by near-infrared reflectance spectroscopy, 1627
PARK, Y.K., G.M. Pastore and M.M. de Almelda, Hydrolysis of soybean oil by a combined lipase system, 252
PARRA, J.L. See Mercade, E.
PASTORE, G.M. See Park, Y.K.
PATSALIDES, E. See Robards, K.
PATTERSON, H.T. See Proffitt, T.J. Jr.
PEREZ-CAMINO, M.C. See Dobarganes, M.C.
PERKINS, E.G., and S. Pinter, Studies on the concentration of oxidized components of abused fats and the application of HPLC to their separation, 783
PEYRONEL, D. See Lamothe, F.
PHAN-TAN-LUU, R. See Lamothe, F.
PASECKI, A. See Burczyk, B.
PINTAR, M.M. See Schreiner, L.J.
PINTER, S. See Perkins, E.G.
POVEY, M.J.W. See McClements, D.J.
POWERS, F.T. See Ayorinde, F.O.
PRABHAKAR, J.V. See Mishra, A.
PREVOST, J. See Sebedio, J.L.
PROCTOR, A., and H.E. Snyder, Adsorption of lutein from soybean oil on silicic acid II. Kinetics, 761
PROFFITT, T.J. Jr., and H.T. Patterson, Oleochemical surfactants and lubricants in the textile industry, 1682
PRYDE, E.H. See Madrigal, R.V.
See Schwab, A.W.
PRZYBYLSKI, R., and N.A.M. Eskin, A comparative study on the effectiveness of nitrogen or carbon dioxide flushing in preventing oxidation during the heating of oil, 629

## R

RAJADHYAKSHA, R.A., D.D. Chaudhari and G.W. Joshi, Super acid catalyzed dimerization of fatty acids derived from safflower oil and dehydrated castor oil, 793
RANKOFF, D. See Stefanova, R.
RATNAYAKE, W.M.N. See Ackman, R.G.
RASHMAWI, K. See Fritz, D.W.
REINA, R.J. See Firestone, D.
RICE, P., and W. Hamm, Densities of soybean oil/solvent mixtures, 1177
RIVAROLA, G., M.C. Anon and A. Calvelo, Influence of phospholipids on the crystallization of waxes in sunflowerseed oil, 1771
ROBARDS, K., A.F. Kerr, E. Patsalides and J. Korth, Headspace gas analysis as a measure of rancidity in corn chips, 1621
ROBERT, M. See Molinero, J.
See Mercade, E.
ROBERTSON, J.A., B.G. Lyon, W.H. Morrison III and J.F. Miller, Sensory and chemical evaluation of stored oil-roasted, high oleic nonoil sunflower kernels, 985
RONG, G. See Friberg, S.E.
ROSEN, M.J., and Z.H. Zhu, Synergism in binary mixtures of surfactants. 7. Synergism in foaming and its relation to other types of synergism, 663
ROSENSTEIN, F.U. See Akihisa, T.
ROTHFUS, J.A. See Hagemann, J.W.
ROTHGEB, T.M., B.D. Goodlander, P.H. Garrison and L.A. Smith, The raw material, finished products and dust pad analysis of detergent proteases using a small synthetic substrate, 806
RUBIN, L.J. See Hsu, N.

## S

SAITO, Y. See Sato, T.
SAHI, S.S. See Herrington, T.M.
SAKAMOTO, M. See Watanabe, S.
SALAH, M.I., R.S. Murray and C.N. Chin, Ashing techniques in the determination of iron and copper in palm oil, 1767
SARIER, N., and C. Guler, β-Carotene adsorption on acid-activated montmorillonite, 776
SARIG, S. See Azoury, R.
See Schlichter Aronhime, J.
SASSON, Y. See Zaidman, B.
SATO, K. See Suzuki, M.
SATO, T., Y. Saito and I. Anazawa, Polyoxyethylene oligomer distribution of nonionic surfactants, 996
SAWAN, Z.M., A.E-H.A. El-Farra and S.A. El-Latif, Cottonseed, protein and oil yields and oil properties as affected by nitrogen and phosphorus fertilization and growth regulators, 948
SAWICKI, G.C., Silicone polymers as foam control agents, 1013
SCHLICHTER ARONHIME, J., S. Sarig and N. Garti, Reconsideration of polymorphic transformations in cocoa butter using the DSC, 1140
S. Sarig and N. Garti, Dynamic control of polymorphic transformation in triglycerides by surfactants: the button syndrome, 1144
SCHMEICHEL, A. See Gobbert, U.
SCHOTT, H., Effect of electrolytes on foaming of nonionic surfactant solutions, 1658
Foaming of nonionic surfactant solutions: effect of surfactant concentration and temperature, 816
SCHREINER, L.J., M.M. Pintar and R. Blinc, Seed proton NMR spin grouping, 106
SCHUCHARDT, U., and O.C. Lopes, Tetramethylguanidine catalyzed transesterification of fats and oils: a new method for rapid determination of their composition, 1940
SCHWAB, A.W., G.L. Dykstra, E. Selke, S.C. Sorenson and E.H. Pryde, Diesel fuel from thermal decomposition of soybean oil, 1781
SCHWARTZ, D.P., Improved method for quantitating and obtaining the unsaponifiable matter of fats and oils, 246
and D.G. Gadjeva, A simple method for the quantitative isolation and resolution of unesterified fatty acids from fats and oils, 378
SEBEDIO, J.L., A. Grandgirard and J. Prevost, Linoleic acid isomers in heat treated sunflower oils, 362
SELKE, E. See Dejarlais, W.J.
See Snyder, J.M.
See Schwab, A.W.
SERGENT, M. See Lamothe, F.
SEVERIN, M. See Biston, R.
SHANI, A., Heavily brominated and highly unsaturated derivatives of jojoba oil, 1318
SHEABAR, F.Z., and I. Neeman, Separation and concentration of natural antioxidants from the rape of olives, 990
SHEPARD, R.L. See Ayorinde, F.O.
SHEU, G. See Snyder, H.E.
SHIMIZU, S., H. Kawashima, Y. Shinmen, K. Akimoto and H. Yamada, Production of eicosapentaenoic acid by *Mortierella fungi*, 1455
SHINMEN, Y. See Shimizu, S.
SHOOK, C.A. See Vadke, V.S.
SHUKLA, A., P.N. Maheshwari and A.K. Vasishtha, Reclamation of nickel from spent nickel catalyst, 1816
SIDDIQUI, S.F. See Ahmed, S.M.
SIMON, J.E. See Whipkey, A.
SIVAKUMARAN, K., and J.W. Goodrum, Laboratory oilseed processing by a small screw press, 932
SIVASANKARAN, G.A. See Bhatia, V.K.
SMILES, A., Y. Kakuda and B.E. MacDonald, Effect of degumming reagents on the recovery and nature of lecithins from crude canola, soybean and sunflower oils, 1151
SMITH, D.L., and D.A. Barclay, Interaction of surfactants with alumina-based thickening agents, 1017
SNYDER, H.E., G. Sheu, H.G. Brown, P. Clark and K.L. Wiese, Analysis of total oil in soybeans: a new equilibrium extraction method and the effect of particle size, 255
See Proctor, A.
SNYDER, J.M., E.N. Frankel, E. Selke and K. Warner, Comparison of gas chromatographic methods for volatile lipid oxidation compounds in soybean oil, 1617
SOKOLOWSKI, A. See Burczyk, B.
SONNET, P.E. See Baillargeon, M.W.
SORENSON, S.C. See Schwab, A.W.
SOSULSKI, F.W., and H.M. Gadan, Variations in lipid composition among chickpea cultivars, 369
See Sosulski, K.
See Vadke, V.S.
SOSULSKI, K., F.W. Sosulski and E. Coxworth, Carbohydrase hydrolysis of canola to enhance oil extraction with hexane, 357
SPASSOV, S.L. See Stefanova, R.
SPINELLI, J. See Nilsson, W.B.
STEFANOVA, R., D. Rankoff, S. Panayotova and S.L. Spassov, Quantitative proton NMR determination of linoleic acid mono- and diesters of polyethyleneglycols via reaction with trichloroacetyl isocyanate, 1516
STOUT, V.F. See Nilsson, W.B.
STUDER, A. See Traitler, H.
SUBBARAO, R. See Vijayalakshmi, P.
See Gangadhar, A.
SUGIYAMA, H. See Naka, A.
SUNDAR RAO, K. See Lakshminarayana, G.
SUZUKI, M., K. Sato, N. Yoshimoto, S. Tanaka and M. Kobayashi, Polymorphic behavior of erucic acid, 1942
SUZUKI, O. See Hiruta, O.

## T

TAHA, F.S., H.E. Helmy and A.S. El-Nockrashy, Changes in cottonseed oil when used for frying vegetable products containing chlorophyll, 267
TAKAGI, T. See Miyashita, K.
TAKAISHI, N. See Urata, K.
TAMURA, T. See Akihisa, T.
TAN-WILSON, A.L., Subclassification of soybean Bowman-Birk isoinhibitors, 1475
TANAKA, S. See Suzuki, M.
TARDIF, R. See Arul, J.
THAKUR, S. See Laskar, S.
See Akihisa, T.
THOMPSON, A.E., and R. Kleiman, Effect of seed maturity on seed oil, fatty acid and crude protein content of eight cuphea species, 139
TIEDE, M.G., Instrumental method for evaluating static control in laundry, 811
TIMMS, R.E. See Wong, M.L.
TIONG, K.H. See Lim, N.B.H.
TKACHUK, R., V.J. Mellish, J.K. Daun and L.J. Macri, Determination of chlorophyll in ground rapeseed using a modified near infrared reflectance spectrophotometer, 381
TOTANI, Y. See Hara, S.
TRAITLER, H., H.J. Wille and A. Studer, Fractionation of blackcurrant seed oil, 755
TRITTHART, P. See Mittelback, M.
TRIVEDI, R.K., and A.K. Vasishtha, Low pressure hydrogenation of castor oil, 1467
TSAI, C.C. See Chen, K.M.
TUVELL, M.E. See Hu, P.C.

## U

UCHLYAMA, H. See Ogino, K.
ULLRICH, F., and W. Grosch, Identification of the most intense odor compounds formed during autoxidation of methyl linolenate at room temperature, 1313
UPADHYAYA, S.K. See Mehrotra, K.N.
URATA, K., S. Yano, A. Kawamata, N. Takaishi and Y. Inamoto, A convenient synthesis of long-chain 1-0-alkyl glyceryl ethers, 1299

## V

VADKE, V.S., and F.W. Sosulski, Mechanics of oil expression from canola, 1169
F.W. Sosulski and C.A. Shook, Mathematical simulation of an oilseed press, 1610
VAN OS, N.M. See Bolsman, T.A.B.M.
VASISHTHA, A.K. See Trivedi, R.K.
See Shukla, A.
VELTMAAT, F.T.G. See Bolsman, T.A.B.M.
VIJAYALAKSHMI, P., R. Subbarao and G. Lakshminarayana, Hydrogenation of unsaturated fatty acid methyl esters using decalin for hydrogen transfer, 939
VILJAVA, T.R. See Hase, A.
VREUGDENHIL, A.D. See Bolsman, T.A.B.M.

## W

WAGNER, F. See Asmer, H.-J.
See Gobbert, U.
WARNER, K., E.N. Frankel and K.J. Moulton, Flavor evaluation of crude oil to predict the quality of soybean oil, 386
See Mounts, T.L.
See Frankel, E.N.
See Snyder, J.M.
WARREN, M.W., H.G. Brown and D.R. Davis, Solvent extraction of lipid components from egg yolk solids, 1136
WATANABE, S., T. Fujita and M. Sakamoto, Antimicrobial properties of boric acid esters of alcohols, 1479
T. Fujita and M. Sakamoto, Epoxides of unsaturated fatty acids as anti-rust additives in water-based cutting fluids, 1311
WATHELET, J-P. See Biston, R.
WEBB, J.J., and S.K. Obendorf, Detergency study of the synergism between oily and particulate soil and polyester/cotton fabric, 1357
WHIPKEY, A., J.E. Simon and J. Janick, In vivo and in vitro lipid accumulation in *Borago officinalis* L., 979
WHITE, P.J., and L.A. Miller, Oxidative stabilities of low-linolenate, high-stearate and common soybean oils, 1334
See Miller, L.A.
WIESE, K.L. See Snyder, H.E.
WIJESUNDERA, R.C., and R.G. Ackman, Evidence for the probable presence of sulfur-containing fatty acids as minor constituents in canola oil, 959
R.G. Ackman, V. Abraham and J.M. deMan, Determination of sulfur contents of vegetable and marine oils by ion chromatography and indirect ultraviolet photometry of their combustion products, 1526
and R.G. Ackman, Determination of nitrogen content of fats and oils by the method of combustion/ion chromatography, 1531
WILCOX, J.R. See Mounts, T.L.
WILLE, H.J. See Traitler, H.
WILLIAMS, P.C. See Panford, J.A.
WILSON, R.F. See Menetrez, M.L.
WONG, M.L., R.E. Timms and E.M. Goh, Colorimetric determination of total tocopherols in palm oil, olein and stearin, 258
WOODWARD, F.E. See Hudson, A.P.
WRAY, V. See Asmer, H.-J.

## Y

YAMADA, H. See Shimizu, S.
YANABA, S., H. Kanao and O. Okumura, Adsorption mechanisms of a cationic surfactant on textiles in excess anionic surfactant solution, 1977
YANO, S. See Urata, K.
YAVASOGLU, N. See Aksoy, H.A.
YOKOCHI, T. See Hiruta, O.
YOON, S.H., M.Y. Jung and D.B. Min, Effects of thermally oxidized triglycerides on the oxidative stability of soybean oil, 1652
YOSHIMOTO, N. See Suzuki, M.

## Z

ZAIDMAN, B., A. Kisilev, Y. Sasson and N. Garti, Double bond oxidation of unsaturated fatty acids, 611
ZHENG, Y.F. See Lie Ken Jie, M.S.F.
ZHU, Z.H. See Rosen, M.J.
ZUBILLAGA, M.P., and G. Maerker, Transesterification of cholesteryl esters, 780